


# Pružiny do nástrojov a foriem podľa DIN 10243 – NP\_KP-TB



1N=0,102kg (sila)

KATALÓGOVÉ ČÍSLO	D <sub>H</sub>	D <sub>D</sub>	L <sub>0</sub>	Tuhosť k N/mm	25%		30%		37.5% Max. dovolené stlačenie N	⚠ mm	D Max. stlačenie N	
	d				mm	mm	N	mm				N
	mm	mm										
TB 10 - 025	10	5	25	12.3	6.3	77	7.5	92	9.4	115	10.4	129
TB 10 - 032			32	9.5	8.0	76	9.6	91	12.0	113	13.2	129
TB 10 - 038			38	7.8	9.5	74	11.4	88	14.3	111	16.0	125
TB 10 - 044			44	6.5	11.0	72	13.2	86	16.5	108	18.5	120
TB 10 - 051			51	5.6	12.8	72	15.3	86	19.1	108	21.1	120
TB 10 - 064			64	4.5	16.0	71	19.2	86	24.0	107	26.4	120
TB 10 - 076			76	3.7	19.0	70	22.8	84	28.5	105	31.8	116
TB 10 - 305	1.5		305	0.9	76.3	68	91.5	82	114.4	102	128.5	116
TB 13 - 025	12.5	6.3	25	21.7	6.3	136	7.5	163	9.4	204	11.2	240
TB 13 - 032			32	16.8	8.0	134	9.6	161	12.0	202	14.0	236
TB 13 - 038			38	13.8	9.5	131	11.4	158	14.3	197	17.3	240
TB 13 - 044			44	11.6	11.0	127	13.2	153	16.5	191	19.8	227
TB 13 - 051			51	10.0	12.8	127	15.3	153	19.1	191	22.9	231
TB 13 - 064			64	7.8	16.0	125	19.2	150	24.0	187	28.4	222
TB 13 - 076			76	6.4	19.0	122	22.8	146	28.5	183	34.3	218
TB 13 - 089	89	5.6	22.3	125	26.7	150	33.4	188	41.4	231		
TB 13 - 305	1.8		305	1.5	76.3	118	91.5	141	114.4	176	139.4	214
TB 16 - 025	16	8	25	31.9	6.3	199	7.5	239	9.4	299	10.9	347
TB 16 - 032			32	24.0	8.0	192	9.6	230	12.0	288	13.7	329
TB 16 - 038			38	19.4	9.5	185	11.4	222	14.3	277	16.5	320
TB 16 - 044			44	16.1	11.0	177	13.2	213	16.5	266	19.3	311
TB 16 - 051			51	13.8	12.8	176	15.3	212	19.1	265	22.1	307
TB 16 - 064			64	10.7	16.0	171	19.2	205	24.0	256	27.4	294
TB 16 - 076			76	8.8	19.0	166	22.8	200	28.5	250	33.0	289
TB 16 - 089	89	7.5	22.3	167	26.7	200	33.4	250	38.6	289		
TB 16 - 102	102	6.5	25.5	167	30.6	200	38.3	250	44.5	289		
TB 16 - 305	2.2		305	2.1	76.3	159	91.5	191	114.4	238	133.6	280



PRODUKT GROUP s.r.o.

Jánošíkova 560

906 32 Jablonica

IČO: 47723254

DIČ: 2024064031

IČ DPH: SK2024064031

[www.pruziny.com](http://www.pruziny.com)

## Predaj

Ing. Miriam Petrovičová

☎ 034 / 658 34 01

☎ +421 910 397 780

✉ [info@pruziny.com](mailto:info@pruziny.com)

## Obchod, odborné a technické poradenstvo

Miloslav Horňák

☎ +421 905 249 175

✉ [obchod@pruziny.com](mailto:obchod@pruziny.com)